Final Remedial Investigation Report Presidio Main Installation

Presidio of San Francisco

Volume III Figures Sections 1-5

Contract No. DAAA15-90-D-0018 Task Order 0002, Data Item A009

Prepared by

DAMES & MOORE

Prepared for U.S. Army Environmental Center Aberdeen Proving Ground, Maryland 21010-5401

20050603 026

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 heur per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments reporting this burden estimate or any other espect of this collection of information, including suggestions for reducing this burden. It Washington Hardquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson David Highway, Suita 1204, Afrington, V. 222024-3029, and to the Office of Management and Budget, Paperwork Reduction Project (0704-07188), Washington, DC 20503.

David Inglittaly, Date 1204, Allmigrat, 12 2222 1002, and 11			
1. AGENCY USE ONLY <i>(Leave blank)</i>	GENCY USE ONLY (Leave blank) 2. REPORT DATE January 1997 3. REPORT TYPE AND DATES COVERED Final		
4. TITLE AND SUBTITLE Final Remedial Investigation R Francisco, Volumes L.T., III, I	eport, Presidio Main Installation		5. FUNDING NUMBERS DAAA15-90-D-0018, Task Order 0002
B. AUTHUR(S)			
7. PERFORMING ORGANIZATION NAME(S) AN Dames and Moore 633 Seventeenth Street Suite 2500 Denver, CO 80202-3625	D ADDRESS(ES)	£	8. PERFORMING ORGANIZATION REPORT NUMBER
9. SPONSORING / MONITORING AGENCY NAM U.S. Army Environmental Cen ATTN: SFIM-AEC-ER Aberdeen Proving Ground, MI	ter		10. SPONSORING / MONITORING AGENCY REPORT NUMBER SFIM-AEC-ER-CR-98018
11. SUPPLEMENTARY NOTES			•
12a. DISTRIBUTION / AVAILABILITY STATEM Distribution Unlimited	ENT		12b. DISTRIBUTION CODE
of the RI included the determin and ecological risk posed by the significant risk to either human	ation of the nature and extent of at contamination. The report con health or the environment. The	contamination at PSF and includes that, in general, to re are, however, a number	rancisco (PSF), CA. The objectives d to quantify both the human health he Presidio does not pose a er of locations where elevated risks locument called the "Presidio Main
14. SUBJECT TERMS			15. NUMBER OF PAGES 9,500 (approx) 16. PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT



1. INTRODUCTION

This Final Remedial Investigation (RI) Report presents the results of the Main Installation RI conducted under the direction of the U.S. Army Environmental Center (USAEC), formerly U.S. Army Toxic and Hazardous Materials Agency (USATHAMA) at the Presidio of San Francisco (PSF). This RI report was prepared by Dames & Moore under contract No. DAAA15-90-D-0018 with the USAEC.

Volume III, this volume, of the Final Remedial Investigation Report contains the figures referenced by sections 1 through 5 of the report text in Volume I. Section tabs in this volume correspond to the section tabs in Volume I, making it easy to find the corresponding figure.

The remaining seven volumes contain information as follows: Volume I contains the text of the body of the report. Volume II contains the tables referenced in Volume I. Volume IV contains the figures referenced by section 6 of Volume I. Volume V contains the figures referenced by sections 7 through 15 of Volume I. Volumes VI through VIII contain supporting documentation for the RI in Appendices A through U.

The following report outline shows section and Appendix titles for all eight report volumes and is included in the introduction section of each volume of this RI report.

1.1 Report Outline: Final Remedial Investigation Report Presidio Main Installation, Presidio of San Francisco

The following outline lists the major sections in each of the eight volumes of this RI report.

VOLUME I TEXT

- 1. Introduction
- 2. Background
- 3. Investigation Methods
- 4. Nike Facility
- 5. Crissy Field Study Area
- 6. Building 900s Series Study Area
- 7. Directorate of Engineering and Housing Study Area
- 8. Main Post Study Area
- 9. Fill Sites and Landfills
- 10. Miscellaneous Sites
- Golden Gate Bridge Highway and Transportation District Study Area
- 12. Baker Beach Study Area
- 13. Battery Howe/Wagner
- 14. Miscellaneous Follow-on Sites
- 15. Baseline Risk Assessment
- 16. References

VOLUME II TABLES

- 1. Introduction
- Background
- 3. Investigation Methods
- 4. Nike Facility
- 5. Crissy Field Study Area
- 6. Building 900s Series Study Area
- 7. Directorate of Engineering and Housing Study Area
- 8. Main Post Study Area
- 9. Fill Sites and Landfills
- 10. Miscellaneous Sites
- 11. Golden Gate Bridge Highway and Transportation District Study Area
- 12. Baker Beach Study Area
- 13. Battery Howe/Wagner
- 14. Miscellaneous Follow-on Sites
- 15. Baseline Risk Assessment

VOLUME III FIGURES SECTIONS 1-5

- 1. Introduction
- 2. Background
- 3. Investigation Methods
- 4. Nike Facility
- 5. Crissy Field Study Area

VOLUME IV FIGURES SECTION 6

Introduction

6. Building 900s Series Study Area

VOLUME V FIGURES SECTIONS 7-15Introduction

- 7. Directorate of Engineering and Housing Study Area
- 8. Main Post Study Area
- 9. Fill Sites and Landfills
- 10. Miscellaneous Sites
- 11. Golden Gate Bridge Highway and Transportation District Study Area
- 12. Baker Beach Study Area
- 13. Battery Howe/Wagner
- 14. Miscellaneous Follow-on Sites
- 15. Baseline Risk Assessment

VOLUME VI APPENDICES A-F

Introduction

- A Background/PSF Water Supply
- B Nike Facility
- C Crissy Field Study Area
- D Building 900s Series Study Area
- E DEH Study Area
- F Main Post Study Area

VOLUME VII APPENDICES G-Q

Introduction

- G Fill Sites and Landfills
- H Miscellaneous Sites
- I Golden Gate Bridge Highway and Transportation District Study Area
- J Baker Beach Study Area
- K Battery Howe/Wagner
- L Miscellaneous Follow-on Sites
- M Physical Properties Data
- N Geophysical Data
- O Well and Sample Data
- P Transducer Study
- Q Fate and Transport Data

VOLUME VIII APPENDICES R-U

Introduction

- R IRA Data
- S Soil Gas Data
- T QA/QC Program
- U Risk Calculation Spreadsheets

1.2 Index of Study Areas, Buildings, and Sites, with Section Numbers

The following index shows where each study area, building, and site is discussed in the RI report. Note, however, that although all listed items are discussed, not all listed items are areas which were investigated in this RI. The index can also be cross referenced with Figure 1.2-1.

For space requirements in the index, and for brevity in the rest of this RI report, the Golden Gate Bridge, Highway, and Transportation District Study Area is abbreviated as GGBHTD Study Area. For the same reasons, the Directorate of Engineering and Housing Study Area is abbreviated as DEH Study Area.

Study Area/Building/Site	RI F	Report Section	
Baker Beach Study Area	12.	Baker Beach Study Area	
Battery Howe/Wagner	13.	Battery Howe/Wagner	
Bone Yard Area			
Bridge District Area (see GGBHTD Study Area)	11.	GGBHTD Study Area	
Building 1029			
Building 1040	8.	Main Post Study Area	
Building 1057	8.	Main Post Study Area	
Building 1065	8.	Main Post Study Area	
Building 1151	8.	Main Post Study Area	
Building 1152	8.	Main Post Study Area	
Building 1153	8.	Main Post Study Area	
Building 1167	8.	Main Post Study Area	
Building 1244.	.10.	Miscellaneous Sites	
Building 1245	.14.	Miscellaneous Follow-on Sites	
Building 1285	13.	Battery Howe/Wagner	
Building 1287	13.	Battery Howe/Wagner	
Building 1351			
Building 1369	.14.	Miscellaneous Follow-on Sites	
Building 1388.	.14.	Miscellaneous Follow-on Sites	
Building 1450.		_	
Building 1451			
Building 1750.	.14.	Miscellaneous Follow-on Sites	
Building 201	8.	Main Post Study Area	
Building 205 (see Sewer Lift Station 2)		•	
Building 206	8.	Main Post Study Area	
Building 207	8.	Main Post Study Area	
Building 208			
Building 215			
Building 228			
Building 229	8.	Main Post Study Area	

Study Area/Building/Site	RI I	Report Section
Building 230	8.	Main Post Study Area
Building 231	8.	Main Post Study Area
Building 267		<u> </u>
Building 268		
Building 269		
Building 269		
Building 283		<u> </u>
Building 285		•
Building 286		
Building 287		
Building 293		
Building 302		
Building 609		•
Building 611		-
Building 633		
Building 634		
Building 637		
Building 638		
Building 640		•
Building 642 Building 643		•
Building 645 (see Sewer Lift Station 1)		
Building 661		
Building 662		
Building 663		
Building 664		
Building 665		
Building 669		
Building 680		
Building 900s Series Study Area		
Building 920		
Building 923		
Building 924		•
Building 925		
Building 926	6.	Building 900s Series Study Area
Building 927	6.	Building 900s Series Study Area
Building 929		
Building 930	6.	Building 900s Series Study Area
Building 931	6.	Building 900s Series Study Area
Building 933		
Building 934		
Building 937		
Building 949		
Building 950		
Building 973		
Building 974	6.	Building 900s Series Study Area

Study Area/Building/Site **RI Report Section** Directorate of Engineering and Housing Study Area......7. DEH Study Area Disturbed Area 2 12. Baker Beach East of Mason 14. Miscellaneous Follow-on Sites Fort Point U.S. Coast Guard Station (FPCGS)...........10. Miscellaneous Sites GGBHTD Study Area11. GGBHTD Study Area Miscellaneous Follow-on Sites 14. Miscellaneous Follow-on Sites Mountain Lake 10. Miscellaneous Sites Nike Facility4. Nike Facility

Study Area/Building/Site	RI Report Section	
Paint Operations Area	11. GGBHTD Study Area	
POL Area	5. Crissy Field Study Area	
Sewer Lift Station 1	5. Crissy Field Study Area	
Sewer Lift Station 2	5. Crissy Field Study Area	
Silo 1	4. Nike Facility	
Silo 2	4. Nike Facility	
Silo 3	4. Nike Facility	
Transfer Station		
Transformer Area	11. GGBHTD Study Area	
UST Area	11. GGBHTD Study Area	
Vehicle Maintenance Area		

LIST OF FIGURES

Figure 1.1-1	PSF Site Location Map
Figure 1.2-1	Remedial Investigation Study Area/Site Locations and Sample History, Presidio of San Francisco
Figure 2.3-1	Average Total Monthly Precipitation for 1951 - 1994, San Francisco, California
Figure 2.3-2	Potentiometric Surface Map of First Encountered Groundwater, Presidio of San Francisco
Figure 2.3-3	Surface Geology Map, Presidio of San Francisco
Figure 2.3-4	Structure Contour Map of the Bedrock Surface, Presidio of San Francisco
Figure 2.3-5	Regional Cross Section Location Map, Presidio of San Francisco
Figure 2.3-6	Regional Cross Section A-A', Presidio of San Francisco
Figure 2.3-7	Regional Cross Section B-B', Presidio of San Francisco
Figure 2.3-8	Generalized Geology Showing Major Shear Zones & Fold Axes
Figure 2.3-9	Crissy Field Groundwater Area Water Table Elevation Map, Presidio of San Francisco
Figure 2.3-10	Schematic Illustration of a Coastal Aquifer
Figure 2.3-11	Crissy Field Groundwater Area TDS Isoconcentration Map, Presidio of San Francisco
Figure 2.3-12	Crissy Field Groundwater Area Electrical Conductivity Map, Presidio of San Francisco
Figure 2.3-13	General Mineral Characteristics of Surface Water & Groundwater, Presidio of San Francisco
Figure 3.1-1	Conceptual Site Model for Human Receptors at the Presidio of San Francisco
Figure 3.1-2	Conceptual Site Model for Ecological Receptors at the Presidio of San Francisco
Figure 3.2-1	Resistivity Schematic and Electrode Configuration
Figure 3.2-2	Typical Monitoring Well Construction


Figure 3.2-3	Background Soil and PSF Water Supply Sample Locations
Figure 3.4-1	Data Management Flow Scheme
Figure 3.7-1	Summary of Process of Identifying Inorganic COCs in Soil and Sediment
Figure 3.7-2	Method for Performing Statistical Comparisons of Background Chemical Data
Figure 4.1-1	Nike Facility Study Area and Cross Section Location Map
Figure 4.1-2	Nike Facility, Drainage Structures, Wipe, Sediment, and Surface Water Sample Locations
Figure 4.1-3	Nike Facility, Missile Silo Plan Map
Figure 4.1-4	Nike Facility, Cross Section A-A'
Figure 4.1-5	Nike Facility, Cross Section B-B'
Figure 4.2-1	Nike Facility, Monitoring Well and Soil Boring Location Map
Figure 4.3-1	Nike Facility, Cross Section C-C'
Figure 4.3-2	Nike Facility, Potentiometric Surface Map
Figure 4.5-1	Nike Facility, Concentrations of Chromium in Soil
Figure 4.5-2	Nike Facility, Concentrations of Copper in Soil
Figure 4.5-3	Nike Facility, Concentrations of Cyanide in Soil
Figure 4.5-4	Nike Facility, Concentrations of Lead in Soil
Figure 4.5-5	Nike Facility, Concentrations of Manganese in Soil
Figure 4.5-6	Nike Facility, Concentrations of Mercury in Soil
Figure 4.5-7	Nike Facility, Concentrations of Nickel in Soil
Figure 4.5-8	Nike Facility, Concentrations of Zinc in Soil
Figure 4.5-9	Nike Facility, Concentrations of Benzo(a)pyrene in Soil
Figure 4.5-10	Nike Facility, Concentrations of Benzo(a)anthracene in Soil
Figure 4.5-11	Nike Facility, Concentrations of PCB-1260 in Soil
Figure 4.5-12	Nike Facility, Concentrations of Antimony in Groundwater and Surface Water


Figure 4.5-13	Nike Facility, Concentrations of Chromium in Groundwater and Surface Water
Figure 4.5-14	Nike Facility, Concentrations of Lead in Groundwater and Surface Water
Figure 4.5-15	Nike Facility, Concentrations of Manganese in Groundwater and Surface Water
Figure 4.5-16	Nike Facility, Concentrations of Mercury in Groundwater and Surface Water
Figure 4.5-17	Nike Facility, Concentrations of Nickel in Groundwater and Surface Water
Figure 5.1-1	Crissy Field Study Area
Figure 5.1-2	Crissy Field Study Area, Test Pit, Soil Boring, Monitoring Well & Cross Section Locations
Figure 5.1-3	Historical Wetlands, Presidio of San Francisco
Figure 5.1-4	Crissy Field Study Area, Storm Drain and Sediment, Wipe, and Surface Soil Sample Locations
Figure 5.1-5	POL Area, Montgomery Watson Soil Boring Locations
Figure 5.3-1	Crissy Field Study Area, Cross Section A-A'
Figure 5.3-2	Crissy Field Study Area, Cross Section B-B'
Figure 5.3-3	Crissy Field Study Area, Debris Fill Isopach
Figure 5.3-4	Crissy Field Study Area, Potentiometric Surface Map, Low Tide, November 1992
Figure 5.3-5	Crissy Field Study Area, Potentiometric Surface Map, High Tide, November 1992
Figure 5.3-6	Crissy Field Study Area, Potentiometric Surface Map, High Tide, March 1995
Figure 5.3-7	Crissy Field Study Area, Potentiometric Surface Map, Low Tide, March 1995
Figure 5.5-1	Crissy Field Study Area, Consolidated Motor Pool, POL Area, and Buildings 609 and 633, Concentrations of Aluminum in Soil
Figure 5.5-2	Crissy Field Study Area, Consolidated Motor Pool, POL Area, and Buildings 609 and 633. Concentrations of Arsenic in Soil


Figure 5.5-3	Crissy Field Study Area, Consolidated Motor Pool, POL Area, and Buildings 609 and 633, Concentrations of Barium in Soil
Figure 5.5-4	Crissy Field Study Area, Consolidated Motor Pool, POL Area, and Buildings 609 and 633, Concentrations of Beryllium in Soil
Figure 5.5-5	Crissy Field Study Area, Consolidated Motor Pool, POL Area, and Buildings 609 and 633, Concentrations of Cadmium in Soil
Figure 5.5-6	Crissy Field Study Area, Consolidated Motor Pool, POL Area, and Buildings 609 and 633, Concentrations of Chromium in Soil
Figure 5.5-7	Crissy Field Study Area, Consolidated Motor Pool, POL Area, and Buildings 609 and 633, Concentrations of Cobalt in Soil
Figure 5.5-8	Crissy Field Study Area, Consolidated Motor Pool, POL Area, and Buildings 609 and 633, Concentrations of Copper in Soil
Figure 5.5-9	Crissy Field Study Area, Consolidated Motor Pool, POL Area, and Buildings 609 and 633, Concentrations of Iron in Soil
Figure 5.5-10	Crissy Field Study Area, Consolidated Motor Pool, POL Area, and Buildings 609 and 633, Concentrations of Lead in Soil
Figure 5.5-11	Crissy Field Study Area, Consolidated Motor Pool, POL Area, and Buildings 609 and 633, Concentrations of Manganese in Soil
Figure 5.5-12	Crissy Field Study Area, Consolidated Motor Pool, POL Area, and Buildings 609 and 633, Concentrations of Mercury in Soil
Figure 5.5-13	Crissy Field Study Area, Consolidated Motor Pool, POL Area, and Buildings 609 and 633, Concentrations of Nickel in Soil
Figure 5.5-14	Crissy Field Study Area, Consolidated Motor Pool, POL Area, and Buildings 609 and 633, Concentrations of Vanadium in Soil
Figure 5.5-15	Crissy Field Study Area, Consolidated Motor Pool, POL Area, and Buildings 609 and 633, Concentrations of Zinc in Soil
Figure 5.5-16	Crissy Field Study Area, Fill Site 7 and Sewer Lift Stations, Concentrations of Aluminum in Soil
Figure 5.5-17	Crissy Field Study Area, Fill Site 7 and Sewer Lift Stations, Concentrations of Arsenic in Soil
Figure 5.5-18	Crissy Field Study Area, Fill Site 7 and Sewer Lift Stations, Concentrations of Barium in Soil


Figure 5.5-19	Crissy Field Study Area, Fill Site 7 and Sewer Lift Stations, Concentrations of Beryllium in Soil
Figure 5.5-20	Crissy Field Study Area, Fill Site 7 and Sewer Lift Stations, Concentrations of Cadmium in Soil
Figure 5.5-21	Crissy Field Study Area, Fill Site 7 and Sewer Lift Stations, Concentrations of Chromium in Soil
Figure 5.5-22	Crissy Field Study Area, Fill Site 7 and Sewer Lift Stations, Concentrations of Cobalt in Soil
Figure 5.5-23	Crissy Field Study Area, Fill Site 7 and Sewer Lift Stations, Concentrations of Copper in Soil
Figure 5.5-24	Crissy Field Study Area, Fill Site 7 and Sewer Lift Stations, Concentrations of Iron in Soil
Figure 5.5-25	Crissy Field Study Area, Fill Site 7 and Sewer Lift Stations, Concentrations of Lead in Soil
Figure 5.5-26	Crissy Field Study Area, Fill Site 7 and Sewer Lift Stations, Concentrations of Manganese in Soil
Figure 5.5-27	Crissy Field Study Area, Fill Site 7 and Sewer Lift Stations, Concentrations of Mercury in Soil
Figure 5.5-28	Crissy Field Study Area, Fill Site 7 and Sewer Lift Stations, Concentrations of Nickel in Soil
Figure 5.5-29	Crissy Field Study Area, Fill Site 7 and Sewer Lift Stations, Concentrations of Vanadium in Soil
Figure 5.5-30	Crissy Field Study Area, Fill Site 7 and Sewer Lift Stations, Concentrations of Zinc in Soil
Figure 5.5-31	Crissy Field Study Area, Fill Site 7 and Sewer Lift Stations, Concentrations of Benzo(a)pyrene in Soil
Figure 5.5-32	Crissy Field Study Area, Fill Site 7 and Sewer Lift Stations, Concentrations of ppDDE in Soil
Figure 5.5-33	Crissy Field Study Area, Fill Site 7 and Sewer Lift Stations, Concentrations of ppDDT in Soil
Figure 5.5-34	Crissy Field Study Area, Fill Site 7 and Sewer Lift Stations, Concentrations of Endrin in Soil
Figure 5.5-35	Crissy Field Study Area, Concentrations of Aluminum in Groundwater

Figure 5.5-36	Crissy Field Study Area, Concentrations of Chromium in Groundwater
Figure 5.5-37	Crissy Field Study Area, Concentrations of Copper in Groundwater
Figure 5.5-38	Crissy Field Study Area, Concentrations of Lead in Groundwater
Figure 5.5-39	Crissy Field Study Area, Concentrations of Nickel in Groundwater
Figure 5.5-40	Crissy Field Study Area, Concentrations of Vanadium in Groundwater
Figure 5.5-41	Crissy Field Study Area, Concentrations of Zinc in Groundwater
Figure 5.5-42	Crissy Field Study Area, Concentrations of Vinyl Chloride in Groundwater













Name (All Paris of All Paris of	EXPLANATION
	Site Map Outline
7 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	Vicinity of RI Sampling Excluding Groundwater Sampling
	Initial RI
	Supplemental RI
	Follow-On Ri
alace of	Initial and Supplemental RI
ae Arts	Initial and Follow—On RI
BLDG.	Supplemental and Follow—On RI
	Initial, Supplemental, and Follow—On Ri
	RI Groundwater Monitoring Well Sampling


RI Groundwater Monitoring Well Sampling					
Study Area/Site Initial Supplemental Follow-On					
Nike Facility	-	1,5	I,S		
Crissy Field + Study Area	1,5	1,5	S		
Building 900s +	16	10	10		












Nike Facility	_	1,5	1,5
Crissy Field + Study Area	1,5	1,5	S
Building 900s + Series Study Area	1,5	1,5	1,5
DEH Study Area	-	I,S	S
Building 215	1,5	_	S
Building 231 +	1,5	-	-
Fill Site 1	I,S	1,5	1,5
Landfill 2	I,S,NG	S	I,S,NG
Transfer Station	-	-	NG
Landfill 4	NG	_	I,S,NG
Fill Site 5	NG		NG
Landfill E	NG	I,S	1,5
FPCGS	_	ı,s	S
GGBHTD Study Area	_	I,S	
Battery Howe/Wagner	_	I,S,NG	S


I = Installed Monitoring Well

S = Sampled Montioring Well


NG = No groundwater encountered during attempt to install monitoring well

t = Selected wells are monitored quarterly under separate program








REMEDIAL INVESTIGATION
STUDY AREA/SITE LOCATIONS
AND SAMPLE HISTORY,
PRESIDIO OF SAN FRANCISCO




//











S = Sampled Montioring Well

NG = No groundwater encountered during attempt to install monitoring well

+ = Selected wells are monitored quarterly under separate program







REMEDIAL INVESTIGATION
STUDY AREA/SITE LOCATIONS
AND SAMPLE HISTORY,
PRESIDIO OF SAN FRANCISCO


PSF25063\DV1

Date: January 1997


Figure 1.2-1









San Francisco Bay








EXPLANATION

0	MONITORING WELL
• (4.09)	SOIL BORING POTENTROMETRIC SURFACE ELEVATION OF FIRST-ENCOUNTERED GROUNDWATER MEASURED IN MARCH OR APRIL 1995.
` ,	(NM): NOT MEASURED. ESTIMATED IN SOIL BORINGS.
(9.40*)	WATER LEVEL DATA FOR LOW TIDE ON 3/16/95 WERE NOT AVAILABLE; THEREFORE, EQUIVALENT WATER LEVELS WERE ESTIMATED BY ADJUSTING WATER LEVELS MEASURED AT HIGH TIDE ON 4/14/95 BY FLUCTUATIONS OBSERVED IN ADJACENT WELLS.
24.7 □	MONITORING WELL AND WATER LEVEL MEASURED IN DECEMBER 1991 BY NOLTE & ASSOCIATES (1993)
(47.37) ^Δ	MONITORING WELL AND WATER LEVEL MEASURED MARCH 9, 1994 FOR WETLANDS FEASIBILITY STUDY, DAMES & MOORE (1995b)
	GENERAL GROUNDWATER FLOW DIRECTION
	ESTIMATED LIMIT OF GROUNDWATER IN UNCONSOLIDATED MATERIALS
-	GROUNDWATER BASIN DIVIDE
Minimal or it whereas	CRISSY FIELD GROUNDWATER AREA BOUNDARY
-	BOUNDARY OF LOBOS CREEK GROUNDWATER AREA, TAKEN FROM CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD ORDER NO. 96-070. SEE TEXT DISCUSSION IN SECTION 2.3.5.
	AREA OF BEDROCK OUTCROP
60	POTENTIOMETRIC SURFACE CONTOUR OF FIRST-ENCOUNTERED GROUNDWATER (DASHED WHERE INFERRED). CONTOUR INTERVAL: 10 FEET
5.0	POTENTIOMETRIC SURFACE CONTOUR OF FIRST-ENCOUNTERED GROUNDWATER IN CRISSY FIELD GROUNDWATER AREA (DASHED WHERE INFERRED). CONTOUR INTERVAL: 1 FEET
200	TOPOGRAPHIC CONTOUR. CONTOUR INTERVAL: 25 FEET
•	ALL ELEVATIONS IN FEET-PRESIDIO LOWER LOW WATER












TOPOGRAPHIC CONTOUR. CONTOUR INTERVAL: 25 FEET


ALL ELEVATIONS IN FEET-PRESIDIO LOWER LOW WATER




















POTENTIOMETRIC SURFACE MAP OF FIRST ENCOUNTERED GROUNDWATER PRESIDIO OF SAN FRANCISCO


PSF25055\DV2

Date: January 1997


Figure 2.3-2





Surficial Depos



Surficial Deposits







DAMES & MOORE DATA LOCATION

DATA OBTAINED FROM MONTGOMERY WATSON (1995)

DATA OBTAINED FROM SCHLOCKER (1974)

2315826

SITE ID

(<-138)

ELEVATION OF TOP OF BEDROCK

AT DATA LOCATION

CONTOUR INDICATING ELEVATION OF TOP OF BEDROCK



AREA OF BEDROCK OUTCROP

AREA OF BEDROCK CONTOURS OBAINTED FROM NOLTE & ASSOCIATES (1993)

CONTOUR INTERVAL: 20 FEET

ELEVATIONS IN FEET-PRESIDIO LOWER LOW WATER

NOTE: BEDROCK SURFACE ELEVATIONS OBTAINED FROM BOREHOLE DATA EXCEPT FOR NOLTE & ASSOCIATES

ELEVATIONS WHICH WERE OBTAINED FROM GEOPHYSICAL DATA.

·23)


EHSB02


(<-32)


(-19)


(-20)


4(-28)
























O 225 450

NOTE: Adapted from Schlocker, 1974.



ed from Schlocker, 1974.




DAMES & MOORE


STRUCTURE CONTOUR MAP OF THE BEDROCK SURFACE PRESIDIO OF SAN FRANCISCO


PSF25057\DV1

Date: January 1997

Figure 2.3-4







DAMES & MOORE MON

268S001

DAMES & MOORE SOIL


2F-86-8


DATA OBTAINED FROM MONTGOMERY WATSON


CROSS SECTION LINE

SITE MAP OUTLINE


DEHGW03 O	DAMES & MOORE MONITORING WELL
2685001	DAMES & MOORE SOIL BORING
2F-86-8	DATA OBTAINED FROM MONTGOMERY WATSON (1995e)
	CROSS SECTION LINE
grotestas enteretros enteretros	SITE MAP OUTLINE















REGIONAL CROSS SECTION
LOCATION MAP
PRESIDIO OF SAN FRANCISCO


PSF25056\DV1

Date: January 1997

Figure 2.3-5


10





- Northeastern Groundwater Area





r Area •


General Direction of Groundwater Flow

Crissy Field Groundwater Area

(feet ab

North A'

Elevation et above Presidio Lower Low Water)



60 -

20 -

Presidio Lower Low Water 0

-20 **-**

-40 **-**

-60 --


-80 -


-100 **-**


-120 **-**


-140 -

Franciscan Formation Bedrock













Qu/Qc











Franciscan

16

Franciscan Formation Bedrock







REGIONAL CROSS SECTION A-A'
PRESIDIO OF SAN FRANCISCO


PSF25135\DV1

Date: January 1997

Figure 2.3-6









-Lobos Cre


General Direction of Groundwater Flow

Creek Groundwater Basin-

Nike Facility








Marina Ground

Groundwater Basin

• ,

B' North


Elevation
(feet above Presidic Lower Low Water)




EXPLANATION


GEOLOGIC UNIT


	Qaf	ARTIFICIAL FILL
wer Low Water)	Qb	MODERN BEACH DEPOSITS
400	Qu	UNDIVIDED SURFICIAL DEPOSITS
375	Qsr	SLOPE DEBRIS AND RAVINE FILL
350	Qd	DUNE SAND '
٠.	Qc	COLMA FORMATION
325	WBR	WEATHERED BEDROCK OF THE FRANCISCAN FORMATION
300	BR/Sp	SERPENTINITE BEDROCK OF THE FRANCISCAN FORMATION
	BR/Kjss	SANDSTONE BEDROCK OF THE FRANCISCAN FORMATION







Formation ck






Franciscan Formation Bedrock











275 250 225 200 175 150 125 Building San Francisco Bay 900s 100 75 137GW01 937GW33 50 Qaf 937GV= = =

_		•	
	275	BR/Kjss	SANDSTONE BEDROCK OF THE FRANCISCAN FORMATION
	250		SOIL CLASSIFICATION
		СІ	CLAY
	225	МІ	SILT
	200	Sp	SAND (POORLY GRADED)
		Sm	SILTY SAND
	175	Sc	CLAYEY SAND
<i>i</i> .			
-	150		
			GEOLOGIC UNIT CONTACT, DASHED WHERE INFERRED
:	125		WATER LEVEL (MARCH OR APRIL 1995)
	100		WELL SCREEN INTERVAL
•			
-	75		
	•		DESIGNATED SURFICIAL DEPOSITS
,	50		OBTAINED FROM SCHLOCKER, 1974






ition


Franciscan Formation
Bedrock


WBR

BR/Sp
B



Franc






GEOLOGIC UNIT CONTACT, DASHED WHERE INFERRED

 ∇

WATER LEVEL (MARCH OR APRIL 1995)

WELL SCREEN INTERVAL

DESIGNATED SURFICIAL DEPOSITS
OBTAINED FROM SCHLOCKER, 1974







REGIONAL CROSS SECTION B-B' PRESIDIO OF SAN FRANCISCO


PSF25136\DV1

Date: January 1997


Figure 2.3-7









San F



LF7GW08 (6.93)





EXPLANATION

SHALLOW MONITORING WELL

(8.49) WATER TABLE ELEVATION TAKEN 3/16/95, 1640-1740 PST LOWER LOW TIDE: 1649 PST, 0.2 FT-PLLW

(6.43*) WATER-LEVEL DATA FOR 3/16/95 WERE NOT AVAILABLE; THEREFORE, EQUIVALENT WATER LEVELS WERE ESTIMATED BY ADJUSTING WATER LEVELS MEASURED ON 4/14/95 BY FLUCTUATIONS OBSERVED IN ADJACENT WELLS.

(NM) NO MEASUREMENT


WATER TABLE CONTOUR (DASHED WHERE INFERRED) CONTOUR INTERVAL 0.5 FEET

GROUNDWATER FLOW DIRECTION


AREA OF BEDROCK OUTCROP


ELEVATIONS IN FEET-PRESIDIO LOWER LOW WATER


NOTE: SHALLOW WELLS ARE SCREENED ACROSS THE WATER TABLE




















DAMES & MOORE

CRISSY FIELD GROUNDWATER AREA WATER TABLE ELEVATION MAP PRESIDIO OF SAN FRANCISCO

PSF25054\DV2


Date: January 1997

Figure 2.3-9



EXPLANATION

GROUNDWATER FLOW DIRECTION




SCHEMATIC ILLUSTRATION OF A COASTAL AQUIFER


PSF25120/DV2

(Modified from Walton, 1985)


Date: January 1997 Fi

Figure 2.3-10








San Fran



Francisco Bay







EXPLANATION

- O SHALLOW MONITORING WELL¹
- ⊕ INTERMEDIATE MONITORING WELL

- (1,350) TDS CONCENTRATION, mg/L
- (NDA) NO TOS DATA AVAILABLE
- TDS ISOCONCENTRATION CONTOUR. LINE IS BASED ON HIGHEST TDS VALUE REGARDLESS OF DEPTH
- --- CRISSY FIELD GROUNDWATER AREA BOUNDARY



APPROXIMATE AREAL EXTENT OF BEDROCK OUTCROP



AREAL EXTENT OF GROUNDWATER EXCEEDING THE TDS STANDARD OF 3,000 mg/L FOR MUNICIPAL OR DOMESTIC WATER SUPPLIES (STATE WATER RESOURCES CONTROL BOARD RESOLUTION NO. 88-63)



AREAL EXTENT OF GROUNDWATER EXCEEDING THE RECOMMENDED SECONDARY DRINKING WATER STANDARD OF 500 mg/L TDS


NOTES:

- 1. SHALLOW MONITORING WELLS ARE SCREENED ACROSS THE WATER TABLE
- 2. DEEP MONITORING WELLS ARE SCREENED AT BOTTOM OF AQUIFER


SOURCES OF TDS DATA


LOCATION/SITE	TDS DATA SOURCE
BUILDING 231	FOLLOW-ON RI
BUILDING 637	MONTGOMERY-WATSON (1995a)
BUILDING 937	IRA QUARTERLY SAMPLING AVERAGES
MONITORING WELLS 979GW01-07	SUPPLEMENTAL RI
MONITORING WELLS 976GW08-10	FOLLOW-ON RI
DEH STUDY ARA	SUPPLEMENTAL RI
FPCGS	SUPPLEMENTAL RI
CRISSY FIELD STUDY AREA	SUPPLEMENTAL RI
















SCREENED ACROSS THE WATER TABLE

2. DEEP MONITORING WELLS ARE SCREENED AT BOTTOM OF AQUIFER

SOURCES OF TDS DATA

LOCATION/SITE	TDS DATA SOURCE
BUILDING 231	FOLLOW-ON RI
BUILDING 637	MONTGOMERY-WATSON (1995a)
BUILDING 937	IRA QUARTERLY SAMPLING AVERAGES
MONITORING WELLS 979GW01-07	SUPPLEMENTAL RI
MONITORING WELLS 976GW08-10	FOLLOW-ON RI
DEH STUDY ARA	SUPPLEMENTAL RI
FPCGS	SUPPLEMENTAL RI
CRISSY FIELD STUDY AREA	SUPPLEMENTAL RI
BUILDING 215	FOLLOW-ON RI







CRISSY FIELD GROUNDWATER AREA TDS ISOCONCENTRATION MAP, PRESIDIO OF SAN FRANCISCO

PSF25157\DV1

Date: January 1997

Figure 2.3-11





San Francisco Bay

---s---27,000 5000


17,500


8,400


17,1 GT 23,100—

14,

1, GT 21,000 -










EXPLANATION


	92,800	depth (ft)_EC, uS/cm
	o •	GROUNDWATER MONITORING WELLS DISCRETE GROUNDWATER SAMPLING LOCATION
	637 <u>-</u> 10a 5,000 -	APPROXIMATE LOCATION OF MONTGOMERY WATSON WELLS (MONTGOMERY WATSON, 1995d) ELECTRICAL CONDUCTIVITY STANDARD FOR MUNICIPAL OR DOMESTIC WATER SUPPLIES IN CALIFORNIA (STATE WATER RESOURCES CONTROL BOARD RESOLUTION NO. 88-63) (DASHED WHERE INFERRED). LINE IS BASED ON HIGHEEST ELECTRICAL CONDUCTIVIY VALUE; REGARDLESS OF DEPTH.
· · · · · · · · · · · · · · · · · · ·		CRISSY FIELD GROUNDWATER AREA BOUNDARY
300 		AREAL EXTENT OF GROUNDWATER EXCEEDING THE ELECTRICAL CONDUCTIVITY STANDARD OF 5,000 uS/cm FOR MUNICIPAL OR DOMESTIC WATER SUPPLIES (STATE WATER RESOURCES CONTROL BOARD RESOLUTION NO. 88-63)
2,800 ——10,300 ——3,700 ——7,600		AREAL EXTENT OF GROUNDWATER EXCEEDING THE RECOMMENDED SECONDARY MCL FOR ELECTRICAL CONDUCTIVITY (900 uS/cm).
14,900		
£100		
8,600		
11,700		
HANDER OF THE PROPERTY OF THE		





















-11,700


LINE IS BASED ON HIGHEEST ELECTRICAL CONDUCTIVIY VALUE: REGARDLESS OF DEPTH.

CRISSY FIELD GROUNDWATER AREA BOUNDARY

AREAL EXTENT OF GROUNDWATER EXCEEDING THE ELECTRICAL CONDUCTIVITY STANDARD OF 5,000 uS/cm FOR MUNICIPAL OR DOMESTIC WATER SUPPLIES (STATE WATER RESOURCES CONTROL BOARD RESOLUTION NO. 88-63)

AREAL EXTENT OF GROUNDWATER EXCEEDING THE RECOMMENDED SECONDARY MCL FOR ELECTRICAL CONDUCTIVITY (900 uS/cm).






CRISSY FIELD GROUNDWATER AREA ELECTRICAL CONDUCTIVITY MAP, PRESIDIO OF SAN FRANCISCO


PSF25160\DV1

Date: January 1997

Figure 2.3-12

14






GENERAL MINERAL CHARACTERISTICS
OF SURFACE WATER AND GROUNDWATER
PRESIDIO OF SAN FRANCISCO

PSF25162\DV1


Date: January 1997

Figure 2.3-13



EXPLANATION

Potentially Complete Pathway for Human Exposure



n Exposure

NOTES

- #1. Potentially complete dermal pathways will be quantitatively assessed only if investigation demonstrates presence of organic contaminants of concern.
- #2. USTs evaluated under the Corps of Engineers Program
- #3. See Figure 3.1-2 for Ecological Receptors





CONCEPTU/ FOR HUMAN RE PRESIDIO OF

PSF25149\DV2

Date: January 1997

POTE	NTIALLY EX AN RECEPT	POSED OR #3
Insite sident	Onsite Recreational Visitor	Onsite Industrial Worker
•	•	•
•	•	•
	•	
		:
<u> </u>		
	•	•
		•
	•	•



DAMES & MOORE

Ьe


ers Program

CONCEPTUAL SITE MODEL FOR HUMAN RECEPTORS AT THE PRESIDIO OF SAN FRANCISCO

PSF25149\DV2

Date: January 1997

Figure 3.1-1




EXPLANATION

- Quantitated
- O Not quantitated
- NA Not Applicable

NOTES:

- #1. The tis not rather conce
- #2. USTs
- #3. See F
- #4. No Se
- #5. See S of fo



NOTES:

- #1. The term direct contact implies that exposure is not assessed by comparing intakes to TBVs; rather, exposure is assessed by comparing media concentrations directly to a criterion based on same medium.
- #2. USTs evaluated under the Corps of Engineers Program
- #3. See Figure 3.1-1 for Human Receptors
- #4. No Sediment data available for El Polin Sping
- #5. See Section 15.2.2 for more detailed description of food web modeling



CON FOR ECOL PRESII

PSF25194\DV4

Date: Januar

J

LY EXPOSED RECEPTOR •3

Mammal	Aquatic Life- Plant, Invert, Fish	Amphibian
•	0	0
•	0	-0
NA		

•	0	NA
•	0	0
NA	•	•

•	NA	0
•	NA	0
NA .	NA	0

NA	0	NA
0	0	NA
NA.	•	NA


•	0	NA
0	0	NA.
NA	•	NA.

DINT UNTIL DISCHARGE TO FACE WATER

•	NA NA	0
NA.	NA	NA
NA	NA NA	NA

redia n same medium. Program

g tion




CONCEPTUAL SITE MODEL FOR ECOLOGICAL RECEPTORS AT THE PRESIDIO OF SAN FRANCISCO

PSF25194\DV4


Date: January 1997


Figure 3.1-2


Resistivity Schematic



Electrode Configurations








RESISTIVITY SCHEMATIC
AND ELECTRODE CONFIGURATION


PSF25191\DV1


(after Zohdy, et. al., 1984; and Benson, et. al., 1982)


Date: January 1997

Figure 3.2-1











DATA MANAGEMENT FLOW SCHEME


PSF25193\DV1


Date: January 1997 | Figure


Figure 3.4-1



















































NISD04		
EPTH	0.0'	
ITHOLOGY	MISC	
hromium	55.933	

NISDOB	
EPTH	0.0'
THOLOGY	MISC
romium	75.921

NISD07
DEPTH 0.0'
LITHOLOGY MISC
Chromium 64.506

NWATER

	NKSB01	
DEPTH	0.0'	3.0'
LITHOLOG	Y FILL	FILL
Chromium	65.300	75.600



EXPLANATION

MONITORING WELL WITH SOIL

SEDIMENT SAMPLE FROM DRAINAGE

SEDIMENT SAMPLE FROM A PAVED

SURFACES COVERED BY PAVEMENT OR BUILDINGS

NOTES: 1. ALL CONCENTRATIONS REPORTED AS µg/g.

2. DATA FOOTNOTE AND LITHOLOGY KEYS ARE INCLUDED AT THE END OF THIS FIGURES SECTION.

DRAINAGE DITCH WITH FLOW DIRECTION
STORM DRAIN WITH FLOW DIRECTION

0

Д

SAMPLES SOIL BORING

DITCH

SURFACE



10.5' FILL) 41.600


NIKE FACILITY
CONCENTRATIONS OF CHROMIUM IN SOIL


PSF26194

Date: January 1997

Figure 4.5-1

Z





EXPLANATION

- MONITORING WELL WITH SOIL 0
- SAMPLES
- **SOIL BORING**
- SEDIMENT SAMPLE FROM DRAINAGE
- SEDIMENT SAMPLE FROM A PAVED Д SURFACE
- DRAINAGE DITCH WITH FLOW DIRECTION
- STORM DRAIN WITH FLOW DIRECTION

SURFACES COVERED BY PAVEMENT OR BUILDINGS

NOTES: 1. ALL CONCENTRATIONS REPORTED AS µg/g.

2. DATA FOOTNOTE AND LITHOLOGY KEYS ARE INCLUDED AT THE END OF THIS FIGURES SECTION.


5.0 **MSC** 7.168

0.0

MISC 7.172

NISD07	
Ή	0.0'
DLOGY	MISC
er	278.832

NKSB01		
TH T	0.0'	3.0'
DLOGY	FILL	FILL
er	76.000	32.000







NIKE FACILITY CONCENTRATIONS OF COPPER IN SOIL

PSF26196

Date: January 1997





EXPLANATION

- MONITORING WELL WITH SOIL SAMPLES
- SAMILES

Д

- SOIL BORING
- SEDIMENT SAMPLE FROM STORM DRAIN/DRAINAGE DITCH
 - SEDIMENT SAMPLE FROM A PAVED SURFACE
- DRAINAGE DITCH WITH FLOW DIRECTION
 - STORM DRAIN WITH FLOW DIRECTION


SURFACES COVERED BY PAVEMENT OR BUILDINGS


NOTES: 1. ALL CONCENTRATIONS REPORTED AS $\mu g/g$.

2. DATA FOOTNOTE AND LITHOLOGY KEYS ARE INCLUDED AT THE END OF THIS FIGURES SECTION.

NISD07	
]	0.0'
LOGY	MISC
е	< 0.250

NKSB01		
	0.0'	3.0'
_OGY	FILL	FILL
е	< 0.920	< 0.920





NIKE FACILITY
CONCENTRATIONS OF CYANIDE IN SOIL


PSF26197

Date: January 1997

Figure 4.5-3

2







MONITORING WELL WITH SOIL 0 SAMPLES

SOIL BORING

SEDIMENT SAMPLE FROM DRAINAGE

DITCH

SEDIMENT SAMPLE FROM A PAVED SURFACE

DRAINAGE DITCH WITH FLOW DIRECTION

STORM DRAIN WITH FLOW DIRECTION

SURFACES COVERED BY PAVEMENT OR BUILDINGS

NOTES: 1. ALL CONCENTRATIONS REPORTED AS $\mu g/g$.

2. DATA FOOTNOTE AND LITHOLOGY KEYS ARE INCLUDED AT THE END OF THIS FIGURES SECTION.



TER

NISD08		
DEPTH	0.0	
LITHOLOGY	MISC	
Lead	250.760	


NKSE03	
DEPTH	0.0'
LITHOLOGY	MiSC
Lead-XRF	46.8


NISD07	
DEPTH	0.0'
LITHOLOGY	MISC
Lead	684.247

NKSE05		
DEPTH	0.0'	
LITHOLOGY	MISC	
Lead-XRF	315	

NKSB21		
DEPTH	0.0'	1.7'
LITHOLOGY	FILL	BE/DU
Lead-XRF	924	< 25


NKSB25		
DEPTH	0.0'	2.0'
LITHOLOGY	FILL	BE/DU
Lead-XRF	< 25	<25





NICO	77	
NISDO DEPTH	0.0'	-
	l	
LITHOLOGY	MISC	
Lead	664.24	_
NKSEO	5	
DEPTH	0.0'	
LITHOLOGY	MISC	
Lead-XRF	315	
NK	SB21	}
DEPTH	0.0	1.7′
LITHOLOGY	FILL	BE/DU
Lead-XRF	924	<25
NK	SB25	,
DEPTH	0.0'	2.0'
LITHOLOGY		BE/DU
LITHOLOGI	FILL	
Lead-XRF	<25	<25
Lead-XRF	<25	
Lead-XRF Nk	<25 (SB20	<25
Lead-XRF Nk DEPTH	<25 (SB20 0.0'	1.7'
Lead-XRF NK DEPTH LITHOLOGY	<25 (SB20 0.0' FILL	1.7' BE/DU
Lead-XRF Nk DEPTH	<25 (SB20 0.0'	1.7'
NK DEPTH LITHOLOGY Lead-XRF	<25 (SB20 0.0' FILL	1.7' BE/DU
NK DEPTH LITHOLOGY Lead-XRF	<25 (SB20 0.0' FILL 1200	1.7' BE/DU
NK DEPTH LITHOLOGY Lead-XRF	<25 (SB20 0.0' FILL 1200 (SB26	1.7' BE/DU <25
NK DEPTH LITHOLOGY Lead-XRF NK DEPTH	<25 (SB20 0.0' FILL 1200 (SB26 0.0'	1.7' BE/DU < 25
NK DEPTH LITHOLOGY Lead-XRF NK DEPTH LITHOLOGY	SB20 0.0' FILL 1200 SB26 0.0' FILL	1.7' BE/DU < 25
NK DEPTH LITHOLOGY Lead-XRF NK DEPTH LITHOLOGY Lead-XRF	SB20 0.0' FILL 1200 (SB26 0.0' FILL 64.2	1.7' BE/DU <25 2.0' BE/DU <25
NK DEPTH LITHOLOGY Lead-XRF NK DEPTH LITHOLOGY Lead-XRF	SB20 0.0' FILL 1200 (SB26 0.0' FILL 64.2	1.7' BE/DU < 25
NK DEPTH LITHOLOGY Lead-XRF NK DEPTH LITHOLOGY Lead-XRF NK DEPTH LITHOLOGY	SB20 0.0' FILL 1200 SB26 0.0' FILL 64.2 SB19 0.0' FILL	1.7' BE/DU <25 2.0' BE/DU <25 1.7' BE/DU
NK DEPTH LITHOLOGY Lead-XRF NK DEPTH LITHOLOGY Lead-XRF NK DEPTH	SB20 0.0' FILL 1200 SB26 0.0' FILL 64.2	1.7' BE/DU <25 2.0' BE/DU <25
NK DEPTH LITHOLOGY Lead-XRF NK DEPTH LITHOLOGY Lead-XRF NK DEPTH LITHOLOGY Lead-XRF	SB20 0.0' FILL 1200 SB26 0.0' FILL 64.2 SB19 0.0' FILL 827	1.7' BE/DU <25 2.0' BE/DU <25 1.7' BE/DU
NK DEPTH LITHOLOGY Lead-XRF NK DEPTH LITHOLOGY Lead-XRF NK DEPTH LITHOLOGY Lead-XRF	SB20 0.0' FILL 1200 SB26 0.0' FILL 64.2 SB19 0.0' FILL 827	1.7' BE/DU <25 2.0' BE/DU <25 1.7' BE/DU <25
NK DEPTH LITHOLOGY Lead-XRF NK DEPTH LITHOLOGY Lead-XRF NK DEPTH LITHOLOGY Lead-XRF	SB20 0.0' FILL 1200 SB26 0.0' FILL 64.2 SB19 0.0' FILL 827 SB27 0.0'	1.7' BE/DU <25 2.0' BE/DU <25 1.7' BE/DU <25
NK DEPTH LITHOLOGY Lead-XRF NK DEPTH LITHOLOGY Lead-XRF NK DEPTH LITHOLOGY Lead-XRF	SB20 0.0' FILL 1200 SB26 0.0' FILL 64.2 SB19 0.0' FILL 827	1.7' BE/DU <25 2.0' BE/DU <25 1.7' BE/DU <25







NIKE FACILITY
CONCENTRATIONS OF LEAD IN SOIL

PSF26205

6

Date: January 1997





2

EXPLANATION

MONITORING WELL WITH SOIL SAMPLES

• SOIL BORING

SEDIMENT SAMPLE FROM DRAINAGE

SEDIMENT SAMPLE FROM A PAVED SURFACE

DRAINAGE DITCH WITH FLOW DIRECTION

→ - STORM DRAIN WITH FLOW DIRECTION

SURFACES COVERED BY
PAVEMENT OR BUILDINGS

NOTES: 1. ALL CONCENTRATIONS REPORTED AS $\mu g/g$.


2. DATA FOOTNOTE AND LITHOLOGY KEYS ARE INCLUDED AT THE END OF THIS FIGURES SECTION.

04
0.0′
MISC
573.492



NISD07	
DEPTH	0.0'
LITHOLOGY	MISC
Manganese	482.708

NKSB01		
DEPTH	0.0'	3.0′
LITHOLOGY	FILL	FILL
Manganese	381.000	254.000 f









NIKE FACILITY
CONCENTRATIONS OF MANGANESE IN SOIL

PSF26201

Date: January 1997





ا ایار


NISD04		
DEPTH	0.0'	
LITHOLOGY MISC		
Mercury	0.100	

NISD08		
DEPTH	0.0'	
JTHOLOGY MISC		
Viercury	0.129	

NISD07	
DEPTH	0.0'
LITHOLOGY	MISC
Mercury	0.103

RMWATER FALL

	NKSB01	
DEPTH	0.0	3.0'
LITHOLOGY	FILL	FILL
Mercury	0.079	<0.027



EXPLANATION MONITORING WELL WITH SOIL

SEDIMENT SAMPLE FROM DRAINAGE

SEDIMENT SAMPLE FROM A PAVED

DRAINAGE DITCH WITH FLOW DIRECTION

STORM DRAIN WITH FLOW DIRECTION

2. DATA FOOTNOTE AND LITHOLOGY KEYS ARE INCLUDED AT THE END OF THIS FIGURES

SURFACES COVERED BY PAVEMENT OR BUILDINGS

NOTES: 1. ALL CONCENTRATIONS REPORTED AS $\mu g/g$.

0

Д

SAMPLES SOIL BORING

DITCH

SECTION.

SURFACE





DAMES & MOORE


NIKE FACILITY
CONCENTRATIONS OF MERCURY IN SOIL

PSF26199


Date: January 1997








Date: January 1997





MONITORING WELL WITH SOIL 0

SAMPLES

SOIL BORING

SEDIMENT SAMPLE FROM DRAINAGE

DITCH

SEDIMENT SAMPLE FROM A PAVED Д SURFACE

DRAINAGE DITCH WITH FLOW DIRECTION

STORM DRAIN WITH FLOW DIRECTION

SURFACES COVERED BY PAVEMENT OR BUILDINGS

NOTES: 1. ALL CONCENTRATIONS REPORTED AS $\mu g/g$.

2. DATA FOOTNOTE AND LITHOLOGY KEYS ARE INCLUDED AT THE END OF THIS FIGURES SECTION.

NK	SB05			
	0.0'		2.0'	
)GY	BE/DU	В	E/DU	
:	< 36	<	36	
NK	SB06			
	0.0'		2.0′	
)GY	BE/DU	В	E/DU	
	NA	20	3.2	
:	141	<	36	
	NKSB01			
	0.0		3.0	0'
DGY	FILL		FIL	L.
	990.00	0	157.	000
N	KSB04			
	0.0'	T	2.0	•
OGY	BE/DU	\sqcup	COLN	AΛ
₹F	180	\int	97.7	
KSBO	3			

2.0'


COLMA

< 36

0.0

BE/DU

90.9








NIKE FACILITY CONCENTRATIONS OF ZINC IN SOIL

PSF26496

Date: January 1997







NKSB19		
0.0'	1.7'	
<30 a	<0.3	
	0.0'	

NKSB21		
0.0'	1.7'	
<30 a	< 0.3	
	0.0'	

1	NKS	B27	
X	DEPTH	0.0'	2.0'
1	Benzo(a)pyrene	1.6	<0.3

NKS	B20	
DEPTH	0.0'	1.7'
Benzo(a)pyrene	< 30 a	<3a

NKSB26		
DEPTH	0.0'	2.0'
Benzo(a)pyrene	<0.3	<0.3

NKSB25		
DEPTH	0.0′	2.0'
Benzo(a)pyrene	< 0.3	< 0.3

	NKS	B29	
/	DEPTH	0.0'	2.0'
	Benzo(a)pyrene	<0.3	<0.3

NKSB30		
DEPTH	0.0'	2.0'
Benzo(a)pyrene	<0.3	<0.3

NKSB05			
DEPTH	0.0'	2.0'	
Benzo(a)pyrene	<0.3	<0.3	

NKSB06			
DEPTH	0.0	2.0'	į
Benzo(a)pyrene	<0.3	<0.3	-


NKSB01


EXPLANATION

- MONITORING WELL WITH SOIL \odot
 - SAMPLES
- **SOIL BORING**
- **SEDIMENT SAMPLE FROM DRAINAGE** DITCH
- SEDIMENT SAMPLE FROM A PAVED Д SURFACE
- DRAINAGE DITCH WITH FLOW DIRECTION
- STORM DRAIN WITH FLOW DIRECTION
 - SURFACES COVERED BY PAVEMENT OR BUILDINGS

NOTES: 1. ALL CONCENTRATIONS REPORTED AS $\mu g/g$.

2. DATA FOOTNOTE AND LITHOLOGY KEYS ARE INCLUDED AT THE END OF THIS FIGURES SECTION.





MONITORING WELL WITH SOIL

0 **SAMPLES**

SOIL BORING

SEDIMENT SAMPLE FROM STORM DRAIN/DRAINAGE DITCH

SEDIMENT SAMPLE FROM A PAVED SURFACE 口

DRAINAGE DITCH WITH FLOW DIRECTION

STORM DRAIN WITH FLOW DIRECTION

SURFACES COVERED BY PAVEMENT OR BUILDINGS

NOTES: 1. ALL CONCENTRATIONS REPORTED AS $\mu g/g$.

2. DATA FOOTNOTE AND LITHOLOGY KEYS ARE INCLUDED AT THE END OF THIS FIGURES SECTION.

NKSB:		28	
0.0'	DEPTH	0.0'	2.0'
3 a	Benzo(a)anthracene	<0.3	<0.3

NKSB19		
DEPTH	0.0'	1.7'
Benzo(a)anthracene	<30 a	<0.3
<u> </u>		

NKSB21		
DEPTH	0.0'	1.7'
Benzo(a)anthracene	<30 a	< 0.3

NKSB27		
DEPTH	0.0'	2.0'
Benzo(a)anthracene	1.35	<0.3

NKSB2	20	
DEPTH	0.0'	1.7'
Benzo(a)anthracene	<30 a	<3a

NKSB2	16	
DEPTH	0.0'	2.0'
Benzo(a)anthracene	< 0.3	< 0.3

NKSB2	5	
DEPTH	0.0'	2.0'
Benzo(a)anthracene	<0.3	<0.3

NKSB2	.9	
DEPTH	0.0'	2.0'
Benzo(a)anthracene	<0.3	< 0.3


	NKSB30		
l	DEPTH	0.0'	2.0'
	Benzo(a)anthracene	<0.3	<0.3


NKSB05		
DEPTH	0.0'	2.0'
Benzo(a)anthracene	<0.3	< 0.3


NKSB06		
DEPTH	0.0'	2.0'
Benzo(a)anthracene	< 0.3	< 0.3


NKSBO	1	
DEPTH	0.0'	3.0'
Benzo(a)anthracene	0.710	0.081


NKSB22



















DAMES & MOORE

NIKE FACILITY
CONCENTRATIONS OF BENZO(A)ANTHRACENE IN SOIL

PSF26209

Date: January 1997





- MONITORING WELL WITH SOIL SAMPLES
- SOIL BORING
- SEDIMENT SAMPLE FROM DRAINAGE

 ▼ DITCH
- SEDIMENT SAMPLE FROM A PAVED SURFACE
- DRAINAGE DITCH WITH FLOW DIRECTION
- ---- STORM DRAIN WITH FLOW DIRECTION

SURFACES COVERED BY PAVEMENT OR BUILDINGS


NOTES: 1. ALL CONCENTRATIONS REPORTED AS $\mu g/g$.

2. DATA FOOTNOTE AND LITHOLOGY KEYS ARE INCLUDED AT THE END OF THIS FIGURES SECTION.

!	NISD	08	ŀ
	DEPTH	0.0'	Į
	PCB-1260	< 0.790	1
٠			đ

WATER

	-	NKSB01	
D	EPTH	0.0'	3.0'
P	CB-1260	0.116	< 0.080







NIKE FACILITY
CONCENTRATIONS OF PCB-1260 IN SOIL

PSF26210

Date: January 1997





MONITORING WELL WITH SOIL

⊙ SAMPLES

⊕ INTERMEDIATE MONITORING WELL

■ DEEP MONITORING WELL

☐ SURFACE WATER SAMPLE

DRAINAGE DITCH WITH FLOW DIRECTION

--- STORM DRAIN WITH FLOW DIRECTION

SURFACES COVERED BY PAVEMENT OR BUILDINGS

NOTES: 1. ALL CONCENTRATIONS REPORTED AS μ g/L.

2. DATA FOOTNOTE AND LITHOLOGY KEYS ARE INCLUDED AT THE END OF THIS FIGURES SECTION.

3. (F) INDICATES FILTERED SAMPLE.


4. NA = NOT ANALYZED

W02-NKSW02		
Initial RI	Follow-on RI	
281.373	152 f	
√A	146 a	

04

:4

ollow-on RI







1996 Otr

NIKE FACILITY
CONCENTRATIONS OF ANTIMONY IN GROUNDWATER
AND SURFACE WATER

PSF26206

Date: January 1997 Fi





KSW01 I RI Follow-on RI 00 5.00 <5.00

EXPLANATION

MONITORING WELL WITH SOIL

⊙ SAMPLES

⊕ INTERMEDIATE MONITORING WELL

☑ DEEP MONITORING WELL
☐ SURFACE WATER SAMPLE

DRAINAGE DITCH WITH FLOW DIRECTION

--- STORM DRAIN WITH FLOW DIRECTION

SURFACES COVERED BY PAVEMENT OR BUILDINGS

NOTES: 1. ALL CONCENTRATIONS REPORTED AS $\mu g/L$.

2. DATA FOOTNOTE AND LITHOLOGY KEYS ARE INCLUDED AT THE END OF THIS FIGURES SECTION.


3. (F) INDICATES FILTERED SAMPLE.

4. NA = NOT ANALYZED

NKG	N04
Analyte	Follow-on RI
Chromium	50.4
Chromium (F)	< 10

VATER

	NISW02-NKSW02		
	Analyte	Initial RI	Follow-on RI
1	Chromium	< 16.800	8.00
Ì	Chromium (F)	NA	<5.00







NIKE FACILITY
CONCENTRATIONS OF CHROMIUM IN GROUNDWATER
AND SURFACE WATER

PSF26195

Date: January 1997





v-on RI

EXPLANATION

MONITORING WELL WITH SOIL

O SAMPLES

⊕ INTERMEDIATE MONITORING WELL

■ DEEP MONITORING WELL

☐ SURFACE WATER SAMPLE

DRAINAGE DITCH WITH FLOW DIRECTION

STORM DRAIN WITH FLOW DIRECTION

SURFACES COVERED BY PAVEMENT OR BUILDINGS

NOTES: 1. ALL CONCENTRATIONS REPORTED AS $\mu g/L$.


2. DATA FOOTNOTE AND LITHOLOGY KEYS ARE INCLUDED AT THE END OF THIS FIGURES SECTION.

3. (F) INDICATES FILTERED SAMPLE.

4. NA = NOT ANALYZED

NKGW04		
lyte Follow-on RI		
t	<3	
1 (F)	<3	

NISW02-NKSW02		
lyte	Initial RI	Follow-on RI
1	<4.470	9.36
1 (F)	NA	1.54







Jan 1996 Otr 2.0 1.7

NIKE FACILITY
CONCENTRATIONS OF LEAD IN GROUNDWATER
AND SURFACE WATER

PSF26204

Date: January 1997





w-on RI

EXPLANATION

- MONITORING WELL WITH SOIL SAMPLES
- **⊕** INTERMEDIATE MONITORING WELL
- DEEP MONITORING WELL
- ☐ SURFACE WATER SAMPLE

DRAINAGE DITCH WITH FLOW DIRECTION

STORM DRAIN WITH FLOW DIRECTION

SURFACES COVERED BY PAVEMENT OR BUILDINGS

NOTES: 1. ALL CONCENTRATIONS REPORTED AS $\mu g/L$.


2. DATA FOOTNOTE AND LITHOLOGY KEYS ARE INCLUDED AT THE END OF THIS FIGURES SECTION.

3. (F) INDICATES FILTERED SAMPLE.

4. NA = NOT ANALYZED

NKGW04	
Follow-on RI	
е	122
e (F)	< 15

NISW02-NKSW02		
Initial RI Follow-on F		
е	<9.670	42.0
e (F) NA 30.0		30.0







Jan 1996 Qtr 34.6 < 10.0

NIKE FACILITY
CONCENTRATIONS OF MANGANESE IN GROUNDWATER
AND SURFACE WATER

PSF26200

Date: January 1997





ow-on RI

EXPLANATION

- MONITORING WELL WITH SOIL
- O SAMPLES
- **⊕** INTERMEDIATE MONITORING WELL
- DEEP MONITORING WELL
- ☐ SURFACE WATER SAMPLE

DRAINAGE DITCH WITH FLOW DIRECTION

--- STORM DRAIN WITH FLOW DIRECTION

SURFACES COVERED BY PAVEMENT OR BUILDINGS

NOTES: 1. ALL CONCENTRATIONS REPORTED AS $\mu g/L$.

2. DATA FOOTNOTE AND LITHOLOGY KEYS ARE INCLUDED AT THE END OF THIS FIGURES SECTION.


3. (F) INDICATES FILTERED SAMPLE.

4. NA = NOT ANALYZED

· NK	GW04
Analyte	Follow-on RI
Mercury	<0.2
	Analyte

MWATER ALL

{	NISW02-NKSW02		
\dashv	Analyte	Initial RI	Follow-on RI
ĺ	Mercury	< 0.100	0.500 f







NIKE FACILITY
CONCENTRATIONS OF MERCURY IN GROUNDWATER
AND SURFACE WATER

PSF26198

Date: January 1997





- MONITORING WELL WITH SOIL
- SAMPLES
- **⊕** INTERMEDIATE MONITORING WELL
- DEEP MONITORING WELL
- ☐ SURFACE WATER SAMPLE

DRAINAGE DITCH WITH FLOW DIRECTION

---- STORM DRAIN WITH FLOW DIRECTION

SURFACES COVERED BY PAVEMENT OR BUILDINGS

NOTES: 1. ALL CONCENTRATIONS REPORTED AS μ g/L.

2. DATA FOOTNOTE AND LITHOLOGY KEYS ARE INCLUDED AT THE END OF THIS FIGURES SECTION.


3. (F) INDICATES FILTERED SAMPLE.

4. NA = NOT ANALYZED

	ı

v-on RI

2-NKSW02		
ial RI Follow-on RI		
100 < 5.00 p		
< 5.00		






NIKE FACILITY
CONCENTRATIONS OF NICKEL IN GROUNDWATER
AND SURFACE WATER

PSF26202


Date: January 1997





a


SAN FRANCISCO BAY


FEET





















SAND DUNE




WETLAND





OPEN WATER

---- 1851 SHORELINE



SOURCE: U.S. COAST SURVEY, 1851 AS AMENDED BY D&M, 1995






HISTORICAL WETLANDS
PRESIDIO OF SAN FRANCISCO

PSF25052\DV1


Date: January 1997


Figure 5.1-3





- * WIPE SAMPLE
- ▼ SEDIMENT SAMPLE
- △ SURFACE SOIL SAMPLE
- M SURFACE SOIL SAMPLE FROM PAVED SURFACE
- STORM DRAIN WITH FLOW DIRECTION


- TOPOGRAPHIC CONTOUR
 - CONTOUR INTERVAL 25 FEET
 - ELEVATIONS IN
 - FEET-PRESIDIO LOWER LOW WATER
- NOTES: ECC-01 AND ECC-02 ARE THE LOCATIONS OF STORM DRAIN WATER
 - SAMPLES COLLECTED BY ECC.














 $\mathcal{L}_{\mathcal{A}_{1}}$














 $L_{S_{\mathcal{C}_{i}}}^{2}$































































































































































































































.o' SC 8	F DEPTH LITHO Barium	LOGY MISC			REFCF08 DEPTH 0.0' LITHOLOGY MISC Barium 14.6
REFCF05 DEPTH 0.0' LITHOLOGY MISC Barium 10.6	REFCF09 DEPTH 0.0' LITHOLOGY MISC Barium 15.6	LITHOLOGY	O.O' MISC Parium	16.8	REFCFO1 DEPTH (LITHOLOGY N Barium 24
					JDY AREA BOUNDARY
LF7sst (Composition of Composition o	FILL SIT	E 7 BUILDING 1 609	BUILDING		OLD MASON









































































0.0' <u>IISC</u> 29		REFCF02 DEPTH 0.0 LITHOLOGY MIS Cobalt 4.5			DEPTH	LITHOLOGY MISC	
LITHOLOGY	0.0' DEPTH MISC .56 Cobalt	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	REFCI DEPTH LITHOLOGY Cobalt	0.0' ' MISC	**	.0' ISC 96	REFCFO DEPTH LITHOLOGY Cobalt
							neisco BA
						STUDY ARE	
	<u>1</u>				<u> </u>		
	LF7SS01 (Composite)	P	•		Q		MACON SI
	F7SS01 (Composite)	FILL SITE		Puil et	DING	1	
	POL AREA						GLD MAS
856			BUILDIN			808	





















































EXPLAINATION

- ESAP SEDMENT SAMPLE
- △ SURFACE SCEL COMPOSITE SAMPLE
- SOIL BOFFING
- MONITOFING WELL WITH SOIL
- O SAMPLES

SOIL BOFFING WITH DISCRETE GROUND SAMPLE

TEST PIT

STORM CELAIN WITH FLOW DIRECTION

্রি


NOTES: 1. ALL CONCENTRATIONS REPORTED AS μg/g.


2. DATA FOOT OTE ANID LITHOLOGY KEYS ARE INCLUDED AT THE END OF THIS FIGURES SECTION.


3. DATA FOR COMPOSITE SAMPLES ARE POSTED AT THE CENTER POINT OF THE COMPOSITE SAMPLE LOCATIONS.

4. * ADDITION LAL INVESTIGATIONS PERFORMED BY MONTGOMETY WATSON.


5. ** SEE MONTGCMETY WATSON DOCUMENTS FOR ADDITION 1 INVESTIGATION RESULTS.








































































































































































































LF7G	W03				LF70	3W05			LF7GW08
Initial RI	Suppl. RI	Follow-on RI		\nalyte	Initial RI	Suppl. RI	Follow-on RI	Analyte	Suppl. RI
112.000	NA - 141 000	1100 < 25.0	A	Muminum	NA	NA	122 f	Aluminum	249.000
112.000	<141.000	₹ 25.0		(F)	<112.000	<141.000	< 25.0	Aluminum (F)	<141.000
			•		• /				
		LF70	W04				LF7GW06		
	Analyte	Initial RI	Suppl.	RI Follow-	on Ri	Analyte Aluminum	Suppl. RI 1140.000	Follow-on RI 2130	-I
	Aluminum Aluminum (F	NA () < 112.000	NA <141.00	328 f 00 <25.0		Aluminum		<25.0	
	Addition (, (112.000			/		ger e e Zerene	At a section of	
							-/		
:									SAN FF
									SAM .
		. /,							
					/ / /			1	OTHEW A
	/			j., /	/			-/-	STUDY A
						\$ /			
* * *				τ /		1		- Y	
						/			
				1/	$\overline{}$				
	7-1							Ø j	
	/ ;	,]	·	~ / <u> </u>				i	
-				V i	Q		_	一一工	
CRISSY F	IELD	بهير	├ · ◄ · ·	-	FILL SITE	7			
ORECT IT			: ·		FILL OIT				
L				-			71111	ING I	**
3			,	سطر ل			BUIL!	i li	
ELIPAD		1 '>'					1		
		>			_				
				ج ا					-
			_ /- PC	L AREA			- Th	1	1.
		658	X			-DT	-	0	1
SOLIDATEI POOL ARE	MOTOR		1		1	h	11:12	i 0 0 0	10 5
POOL ARE	A= *		634	/		BUILDIN 609	16		608
A	1	- 639	i/	\ /	! $ $	1 609	1 1 0 B	سرح بسرس بالمالي	
	840	642	本一·1 ·	/	1114 K	1.1>			S
	641	830		BUILDING 633 AREA	·141	$T \mid $	H_{α}	o in	
			37 638		11 11	1 1	\prod_{i}	A	4
			<u>i </u>		32 1		-III-		- 4
	ÉA AT	OVE GROUND NKG (REMOVED)	M —	ACHINE UN BUTT*	7411	-			1/2
		646		NN BUTT* /	dil	سرار آ			· II #
				<u>-</u>					


;
















6W03			·	1 F70	3W05	L		LF7GW08	
Suppl. RI	Follow-on RI	Ana	lvte	Initial RI	Suppl. RI	Follow-on RI	Analyte	Suppl. RI	Follo
NA 11.300	14.0 f <5.00	Chro	omium	NA	NA	14.0	Chromium	< 6.020	<5.0
11.300	₹5.00	Chr	omium (F)	<16.800	<6.020	5.00	Chromium (F)	< 6.020	< 5.0
				• /					
	LF76	W04				LF7GW06			
Analyte	Initial RI	Suppl. RI	Follow-	on RI	Analyte	Suppl. Ri	Follow-on RI	$I: \mathbb{R}^n$	
Chromium	NA 110 000	NA 18 000	16.0		Chromium Chromium		9.00		
Chromium (F)	<16.800	<6.020	< 5.00		Chlorillan	11F7 < 6.020	\25.00	1	
							보호는 한 판합한다면요. -		
			1.					SAN FF	MAK
								SAN	Ĭ., .
				/					
			/				-	STUDY A	AREA
			- /		1/32		i/	<u> </u>	
			τ /		-		V		
			+	-4			A		
	-		! /					•	
/	7-7		7_				Øį		
١			1/!				į		
IELD	<i>f</i> '		<i>y</i>	Ø					
NGE	·/-·-·-	۲۰۰۰۰۰	†!	FILL SITE	7				
	i								
	i		T-t-	4		BUILT	ING !		
¹	i		سبليل		-	0 61	!		
. 1	٠. ٨					1	二十十十		
			l i				المساحد وسلمسا عدود		1
	1		F						o H
	77	o√ POL A	IREA**				i D		1,0
MOTOR	656	A-	7	16		1116 D	•		4
MOTOR A		1	1 5			- 4110		000	_
	639	634	. \	$i \cap \bigcup$	BUILDIN 609	AG III		T-V-I-	
1/	642	¥X	\	il 🔻	1 1 000		-0+ D	<u>U</u>	IFT TATIO
641 640	630	7	UILDING	1H41 Y	+.+	1110	in		<u> </u>
	~· D M	, 838)	SUILDING		/ /	1110			395
== /	63	77		A !!E	1,	Fih		7	
ABO	VE GROUND	MACI	H33 \ 6	32 1	_			rt	
****	(CIDEM/N/FD)	~	332 /					, , ,	
















ol. RI	Callery on Di			LF7	GW05				LF7GW08	<u> 1930 - Park Barana</u> La ser
	Follow-on RI 2.77 f		Analyte	Initial RI	Suppl. RI	Follow-on RI		Analyte	Suppl. RI	Follow-on R
0	4.77		Copper (F)	NA <18.800	NA <8.090	< 1.00 n 5.80		Copper Copper (F)	<8.090 <8.090	3.77 f 2.55
" - (j. :					/ · · · · · · · · · · · · · · · · · · ·					
		/GW04				LF7GW06				
yte per	Initial RI NA	Suppi. Ri	Follow-or < 1.00 n	n RI	Analyte Copper	Suppl. RI <8.090	3.86 f 1.57	∕-on RI		
oer (F)	<18.800 .	< 8.090	5.20		Copper (F	<8.090	1.57		1	
1)										
								en e		RANCISCO
									CAN	RANCISO
142 Mily 144 J									/ 3	
								\perp		
i je					ratiga da 🖊 era i		7.6		STUDY	AREA BOU
				1				/	,	
								- i/	1	
			•					- - -	<i>y</i>	
			Ţ/							
								- - - - - - -		
/										
/ 										
1 1										MASOI
1-3-				FILL SITE	7					MAF90
1 3					7		L DING			
/ 		+ • •		FILL SITE	7	Φ BU	ILDING 611			
					7	BU	ILDING 611			0
/ - - - -					7	BU	ILDING 811			0
/		1	NI ADEA		7	G BU	ILDING 611			0
		o Po	DL AREA		7		1			OLD
	858	o Po	DL AREA!			BU	1			010
	869	PO	DL AREA!							OLD OLD
-	850 B 1838	PO	DL AREA!				1		600	OLD OLD
~	869	PO	DL AREA PROJECTION OF THE PROJ		BUILDIN				600	OLD OLD














LF7GW03


LF7GW06							
Analyte	Suppl. RI	Follow-on RI					
Lead	NA	5.64					
Lead (F)	1.520	< 0.735					


			F7GW03				LF7GW0	5	1	
	Analyte Lead Lead (F)	Initial RI NA < 4.470	Suppl. RI NA <1.260	Follow-on RI 4.03 < 0.735		Analyte Lead Lead (F)	Suppl. RI NA < 1.260	Follow-on RI < 0.735 < 0.735		Progra Depth Lead
		/ C. B.								
\					\downarrow					
	6 1820 X								V.	
	<i>{</i> '			1000年度を発						[
MA	PINE RO	A. F.		RISSY FIELD			+	7		\ }
	9107	906	RI	RISSY FIELD LE INSTITUTE*		SY FIELD T RANGE	-	/	$ \sqrt{1}$	i -



















/03		1	a <u>111 - 114</u> :	1 F	7GW05			, ugyanu je ni stali. T	LF7GW08	3
Suppl. RI	Follow-on Ri		Analyte	Initial RI	Suppl. RI	Follow-on Ri		Analyte	Suppl. RI	Follow-o
34.300	7.14 <5.00		Nickel	NA	NA <34.300	10.9 15.4		Nickel	<34.300 <34.300	6.83 5.80
34.300	< 5.00		Nickel (F)	<32.100	< 34.300	13.4		Nickel (F)	< 34.300	5.80
A b - 4 -		7GW04	Follow-on		Analyte	LF7GW06 Suppl. RI	Follow-	on Ri		
Analyte Nickel	Initial RI NA	Suppl. RI NA	34.1	<u>"</u>	Nickel	<34.300	11.2	7.0		
Nickel (F)	<32.100	<34.300	<5.00		Nickel (F	< 34.300	<5.00			
LD LD LIGE:		1		FILL SI	TE 7				STUDY	AREA I
LD L				FILL SI	TE 7	BI	UILDING 811		STUDY	AREA

















































Analyte Vinyl Chloric

			EW03	-	\		1 F70	W05	
	Analyte Vinyl Chloride	Initial RI < 12.000	Suppl. RI	Follow-on RI		Analyte	Initial RI	Suppl. RI	Foll
	Viriyi Chioride	< 12.000	< 0.160	< 0.393	\setminus	Analyte Vinyl Chloride	<12.000	< 0.160	< O.
**	in the second se	90,1 00 1 00 1 00 1 00 1 00 1 00 1 00 1							
1	MAUDJAN ST	914) 910)	906	302	CRISSY F	IELD ITUTE *	POISOV FIFT D	1 ,	1 + +





Suppl. RI

< 0.160

Follow-on RI

< 0.393

<u>Analyte</u>

Vinyl Chloride

Depth

